



## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact [support@jstor.org](mailto:support@jstor.org).

dated February 15, 1901, gives 17 cases with 12 deaths during the preceding two weeks.

Respectfully,

J. C. PERRY,  
*Passed Assistant Surgeon, U. S. M. H. S.,  
 Chief Quarantine Officer for the Philippine Islands.*  
 The SURGEON-GENERAL,  
*U. S. Marine-Hospital Service.*

*Mortality report of Singapore for January, 1901.*

MANILA, P. I., February 22, 1901.

SIR: I have the honor to transmit herewith for your information mortality report of Singapore for the month of January, 1901.

This report was compiled by the registrar of births and deaths of Singapore, and was furnished this office by the United States consul-general at that city.

Respectfully,

J. C. PERRY,  
*Passed Assistant Surgeon, U. S. M. H. S.,  
 Chief Quarantine Officer for the Philippine Islands.*  
 The SURGEON-GENERAL,  
*U. S. Marine-Hospital Service.*

[Inclosure.]

*Settlement of Singapore mortality report for the month of January, 1901.*

	Male.	Female.	Total.		Male.	Female.	Total.
Deaths from—				Ages at death—Cont'd.			
Convulsion .....	14	8	22	1 year to 5 years.....	11	10	21
Bronchitis .....	22	14	36	5 to 10 years.....	8	6	14
Fever .....	123	24	147	10 to 20 years.....	23	13	36
Dysentery.....	18	2	20	20 to 25 years.....	66	9	75
Diarrhea.....	24	5	29	25 to 35 years.....	190	29	219
Cholera.....	63	5	68	35 to 45 years.....	151	13	164
Smallpox.....	1	.....	1	45 to 55 years.....	87	9	96
Beriberi.....	104	16	120	55 to 75 years.....	68	15	83
Heart.....	18	4	22	75 and above.....	11	6	17
Phthisis.....	123	24	147	Total .....	693	157	850
Injuries.....	3	.....	3				
Debility and age.....	89	24	113	Nationalities—			
Bubonic plague.....	1	.....	1	Europeans.....	4	.....	4
Other causes.....	86	31	117	Eur Asians.....	5	1	6
Unknown.....	4	.....	4	Chinese.....	556	90	646
Total .....	693	157	850	Malays.....	67	48	115
				Indians.....	51	15	66
Ages at death—				Other nations.....	4	3	7
Unknown.....	11	.....	11	Unknown.....	6	.....	6
Under 3 months.....	39	26	65				
3 months and under 1 year	28	21	49	Total .....	693	157	850

Ratio per 1,000 of population, 40.58.

*Foreign and insular statistical reports of countries and cities—Yearly and monthly.*

AUSTRIA—*Brunn.*—Month of January, 1901. Estimated population, 95,342. Total number of deaths, 134, including diphtheria, 2; measles, 2; scarlet fever, 1, and 29 from tuberculosis.

BAHAMAS—*Dunmore Town.*—Two weeks ended March 29, 1901. Estimated population, 1,472. No deaths and no contagious diseases.

*Inagua.*—Three weeks ended March 29, 1901. Estimated population, 1,200. Total number of deaths, 2. No contagious diseases.

*Governors Harbor*.—Two weeks ended March 30, 1901. Estimated population, 1,500. No deaths and no contagious diseases.

*Green Turtle Cay—Abaca*.—Two weeks ended March 28, 1901. Estimated population, 3,900. No deaths and no contagious diseases.

*Nassau*.—Two weeks ended April 3, 1901. Estimated population, 12,000. No deaths and no contagious diseases reported.

BRAZIL—*Pernambuco*.—Two weeks ended February 28, 1901. Estimated population, 200,000. Total number of deaths, 216, including measles, 1; whooping cough, 1; smallpox, 23; yellow fever, 2, and 28 from phthisis pulmonalis.

*Rio de Janeiro*.—Two weeks ended February 15, 1901. Estimated population, 793,000. Total number of deaths, 516, including diphtheria, 2; enteric fever, 2; measles, 1; smallpox, 6; yellow fever, 22; plague, 3, and 118 from tuberculosis.

BRITISH GUIANA—*Demerara—Georgetown*.—Estimated population, 53,126. Total number of deaths, 172. No deaths from epidemic diseases reported.

CANADA—*Manitoba—Winnipeg*.—Month of March, 1901. Estimated population, 25,642. Total number of deaths not reported. One death from diphtheria, 1 from enteric fever, and 1 from whooping cough reported.

*Province of Ontario*.—Reports to the provincial board of health for the month of January, 1901, from 777 provinces having an aggregate estimated population of 2,042,950, show a total of 2,320 deaths, including diphtheria, 49; enteric fever, 43; measles, 9; scarlet fever, 16; whooping cough, 2, and 201 from phthisis pulmonalis.

*Ontario—Hamilton*.—Month of March, 1901. Estimated population, 52,665. Total number of deaths, 74, including diphtheria, 3; enteric fever, 1; scarlet fever, 1, and 7 from tuberculosis.

*Quebec—Sherbrooke*.—Month of March, 1901. Estimated population, 11,100. Total number of deaths, 24, including 2 from scarlet fever.

CHILE—*Antofagasta*.—Month of February, 1901. Estimated population, 36,220. Total number of deaths, 57, including enteric fever, 2; whooping cough, 7, and 5 from tuberculosis.

CUBA—*Santiago*.—Month of February, 1901. Estimated population, 45,000. Total number of deaths, 69, including 19 from tuberculosis.

FRANCE—*St. Etienne*.—Two weeks ended March 15, 1901. Estimated population, 136,030. Total number of deaths, 148, including diphtheria, 2; enteric fever, 2; whooping cough, 1, and 20 from tuberculosis.

GREAT BRITAIN—*England and Wales*.—The deaths registered in 33 great towns in England and Wales during the week ended March 16, 1901, correspond to an annual rate of 18.9 per 1,000 of the aggregate population, which is estimated at 11,789,099. The highest rate was recorded in Liverpool, viz, 28.2, and the lowest in West Ham, viz, 13.8.

*London*.—One thousand five hundred and seventy-one deaths were registered during the week, including measles, 35; scarlet fever, 10;

diphtheria, 30; whooping cough, 43; enteric fever, 8, and diarrhea and dysentery, 13. The deaths from all causes correspond to an annual rate of 17.6 per 1,000. In Greater London 2,089 deaths were registered, corresponding to an annual rate of 16.1 per 1,000 of the population. In the "outer ring" the deaths included 11 from diphtheria, 6 from measles, 1 from scarlet fever, and 18 from whooping cough.

*Ireland.*—The average annual death rate represented by the deaths registered during the week ended March 16, 1901, in the 22 principal town districts of Ireland was 28.1 per 1,000 of the population, which is estimated at 1,058,722. The lowest rate was recorded in Queenstown, viz, 5.7, and the highest in Tralee, viz, 61.6 per 1,000. In Dublin and suburbs 234 deaths were registered, including diphtheria, 2; enteric fever, 1, and 11 from whooping cough.

*Scotland.*—The deaths registered in 8 principal towns during the week ended March 16, 1901, correspond to an annual rate of 22.7 per 1,000 of the population, which is estimated at 1,630,155. The lowest mortality was recorded in Leith, viz, 11.1, and the highest in Edinburgh, viz, 25.4 per 1,000. The aggregate number of deaths registered from all causes was 713, including diphtheria, 7; measles, 10; scarlet fever, 5; smallpox, 24, and 40 from whooping cough.

*MALTA.*—Month of February, 1901. Estimated population, 181,698. Total number of deaths, 364, including diphtheria, 4; enteric fever, 6, and 8 from whooping cough.

Two weeks ended March 16, 1901. Total number of deaths, 167, including enteric fever, 1, and 4 from whooping cough.

*PHILIPPINE ISLANDS—Manila.*—Month of November, 1900. Estimated population, 250,000. Total number of deaths, 976, including diphtheria, 1; enteric fever, 5; whooping cough, 2, and 109 from tuberculosis.

*SPAIN—Malaga.*—Two weeks ended March 15, 1901. Estimated population, 130,000. Total number of deaths, 195, including enteric fever, 2, and 2 from smallpox.

*Valencia.*—Two weeks ended March 14, 1901. Estimated population, 203,895. Total number of deaths, 268, including enteric fever, 3, and 1 from smallpox.